

Introduction & Background	1
Quick Start Guide	2
Regulations & Worker Safety	3
Purchasing & Options.....	4
Procedures: Planning and Installation.....	5
Procedures: Trap Checking.....	6
Data Management.....	8
Recommendations & Tips	8
Next Steps & Future Research Needs:	9
Resources	9
Acknowledgements.....	9
Appendices	10
Appendix 1: Trap check “Cheet sheet”	10
Appendix 2: ALP traps that Did Not Inflate (DNI).....	10
Appendix 3: Common trap malfunctions.....	11
Appendix 4: Grid design examples.....	17
Appendix 5: Figures.....	18

Introduction & Background

Reducing the impacts of invasive small mammals is an important component of natural resource conservation throughout Hawai‘i. This Recommended Best Practices (RMP) from the Hawai‘i Conservation Alliance is for the use of A24 automatic resetting traps manufactured by Goodnature (GoodNature.co.nz) and sold in the USA by Automatic Trap Company (<https://www.automatictrap.com/>). In Hawai‘i, A24 traps are used to humanely dispatch rats (*Rattus rattus*, *R. norvegicus*, *R. exulans*) to reduce predation of native plants and animals. Observations of A24 non-target species (mice and mongoose) kills are not unheard of. GoodNature manufactures a mouse shroud to adapt the A24 trap for controlling mice; however, its efficacy and humane targeting of mice in Hawai‘i have not been evaluated. For mongoose, the A24 may decrease in humaneness as the full pressure of the trap decreases. The GoodNature A18 model has been rated for mongoose control. This RMP focuses on the application of A24 for rats, based on recommendations from the New Zealand Department of Conservation and the professional experience of programs within the Hawai‘i Conservation Alliance (HCA) and the broader Hawai‘i Conservation community.

Quick Start Guide

- Determine how many traps you can afford, maintain, and fit into your site
- Traps should be deployed in a 100-meter by 50-meter grid. Larger grids with more traps will reduce the frequency and intensity of impacts to protected resources. Ultimately, grid design will vary depending on site-specific rat densities and management goals. (see [Appendix 4](#) for more information and examples of grid design)
- Traps should not be attached to 'ōhi'a trees to avoid damaging bark, especially where ROD is present
- Each trap should be installed 10-12 centimeters above the ground with a clear entrance
- Traps should be recharged with CO₂ and new bait every 30-180 days. This will vary based on location and accessibility. See [Table 1](#) for more information.

Table 1: Summary table of lessons learned and limitations experienced by NRM programs across the state

A. Some important things we have learned	B. Some limitations we have seen
1. A24 traps are more efficient in maintaining consistent control of rats than single-strike traps because they reduce the amount of labor needed to reset the traps. 2. Small grids with fewer than 5 traps are effective at reducing impacts to a small area (5 meters by 5 meters) with sensitive species. However, larger grids with more traps will reduce the frequency and intensity of impacts on protected resources over a larger area for a longer time. 3. Traps should be installed along access trails adjacent to sensitive areas to avoid direct impacts from trampling. 4. Areas with high rat density need to be serviced regularly to avoid rat damage to traps (Figure 1)	1. Traps need to be recharged with bait and CO₂ every 30-180 days. 2. At higher elevations (>7000'), the ALP inflates and pushes out the bait at a higher rate, emptying in just 30-60 days 3. ALP batches may not inflate (see Appendix 2) 4. The bait can clog in the bottle, stopping dispensing in dry climates. The bait can rot quickly and become moldy in wet climates. Birds, mollusks, ants, and other invertebrates will remove and consume the bait. 5. A24 in coastal areas may rust quickly, and rust-prevention treatments may repel rats 6. The warranty period (2 yrs) starts when the trap is deployed; however, the warranty is voided if NOT using manufacturer CO₂ canisters. 7. KFRPB has documented common malfunctions and how to track (see Appendix 3)

Regulations & Worker Safety

Worker safety and the use of personal protective equipment are recommended. Contact your supervisor for more information on applicable regulations and worker safety for your program.

- Use nitrile gloves when handling traps and carcasses to limit exposure to blood-borne pathogens
- Always keep fingers clear of the shroud entrance to avoid triggering trap
- Only trigger the traps from the top (the lure bottle cradle side)
- Always treat the trap as live until you have fully de-pressurized it
- The CO₂ canister will get cold enough to burn skin if it is quickly de-pressurized
- After removing the CO₂, trap still has one hit remaining, ensure it is fully emptied before transporting

Table 2: PPE recommendations for A24 trap setting, checking and maintenance

Recommended PPE
Nitrile gloves
Leather gloves for de-pressurizing CO ₂ canisters
Hand sanitizer

The following links provide more information about State of Hawai'i and University of Hawai'i regulations. Contact your supervisor for more information on applicable regulations and worker safety.

[Hawaii Department of Health: Rats and Mice](#)

[Hawaii Department of Health: Vector Control Branch | Rodent Program](#)

[Hawaii Occupational Safety and Health](#)

[University of Hawaii IACUC – Office of Research Compliance](#)

Purchasing & Options

Goodnature A24 are available from the Automatic Trap Company (<https://www.automatictrap.com/>). The main body of the traps is standard, but there are several options for administering the bait, different flavors and additives, as well as the choice of using counters. Goodnature manufactures a variety of bait flavors, including Chocolate, Nut Butter, and Meat Lovers. Preferences may vary by program, and bait efficacy may also vary by location.

Table 3: Summary of pros and cons for bait and other trap options

Type	Pros	Cons
Automatic Lure Pump (ALP)	• Fresh, enticing bait is available for “6 months”	• ALP bait may settle on the trigger rod and causing false strikes (if tracking with counter) and uses up CO₂ • ALPs do not always inflate, thus not pumping out fresh bait, effectively leaving unbaited/inactive traps out during trapping period
Static Lure Bait (SLB)	• Cheaper option • At high elevations, the need for replenishing fresh bait decreases	• SLB dry out quickly in dry climates so may need to be maintained every 30-45 days • SLB can mold and spoil quickly in some environments
Citric Acid Bait	• Will reduce the amount of bait being eaten by non-native mollusks and increase the number of days that bait is available	• While some have observed that citric acid may make bait unpalatable to rats, tests have not generated evidence that indicates citric acid influencing the efficacy of the bait may be unpalatable to some rats
Counters	• If they work, they can speed up the monitoring, provide more information on the number of strikes if there are no carcasses, and reduce the number of wasted cartridges	• Uncertain how reliable these are in getting an accurate count or how the counts will inform management strategies • Counters are expensive

Procedures: Planning and Installation

1. Using GIS, if possible, delineate the control area and note any public roads or trails, sensitive species location, and topographic limitations (steep slopes, riparian zones).
2. Using that map, determine the number of A24 traps needed to cover the control area. This is most efficiently completed by having transect 100m apart with traps every 50 meters on the transects. (Figure 2). See Appendix 4 for more on Grid Design.
3. Determine if non-target exclusionary devices are needed to prevent injury to native birds. If ungulates are present in the control area, additional measures to prevent traps from being dislodged are required. These include: a. Attaching traps at least 2m from the ground (Figure 3a) b. Using zip ties to secure traps to sturdy trees (Figure 3b, 1) c. Kea Excluders (Figure 3b, 2) d. Installing traps inside of wooden or wire mesh boxes
4. Determining mounting location (Tree): Each trap should be installed 10-12 centimeters above the ground, on the up-slope side of a sturdy (> 3" diameter), straight (< 45°), tree with a clear footing to allow animals to approach (Figure 4). Preferably, the tree should be non-native, and definitely not 'ōhi'a in places where ROD is present.
5. Alternative installation: When working on lava flows, areas without trees, or in culturally sensitive areas, alternative mounting options include a. Goodnature A24 Portable Trap Stand Installation: The traps and stand must be secured on both sides with rocks or other heavy items to stabilize the trap and prevent tipping (Figure 5a). b. Mount to 2x2 stake, pound stake into ground (Figure 5b) c. Fence posts (Figure 5c)
6. Prepare new traps for installation by: a. Remove the NZ penny from Automatic Lure Pumps (ALP) (Figure 6a, 6b) b. If using counters, slide the soft rubber strap of the counter onto the CO₂ canister. The button needs to face toward the operator, away from the shroud entrance and mounting apparatus, when it's pushed into place (Figure 6c).
7. Label and flag trap (Figure 7)

Procedures: Trap Checking

1. Always bring two extra A-24 units as well as CO ₂ and ALP (per person) when checking rat lines, be prepared to change out units that aren't functioning.
2. Search for and locate carcasses near and downslope of the trap and dispose of them following project requirements. Leaving carcasses in place may attract predators (owls, cats, mongoose).
3. If a counter is present, press the button once to display the number of strikes and record data. To replace the counter, slide the soft rubber strap of the counter onto the CO₂ canister. The button needs to face toward the operator, away from the stake when it's pushed into place. If the counter shows 15 or higher, the CO₂ needs to be changed (Steps 9-12).
4. If there is no counter, but it has been > 4 months, the CO ₂ needs to be changed (Steps 9-12).
5. In some instances, the mounting bracket may become too tight because of tree growth—especially if mounted to Strawberry guava or other fast-growing trees. Address by: - Remove the trap from the mounting bracket and loosen the screws a couple of turns to prevent deforming the mounting bracket. - You may consider moving the trap to another tree if growth is interfering with the mount. - For trees that fall over, traps need to be reoriented if staying on that tree or selecting an adjacent, upright one (Figure 8). Make sure trap is mounted when testing trap or degassing (Figures 9 and 10).
6. Unscrew lid (Figures 9 and 10)
7. Unscrew ALP (Record bait present Yes/No)
8. Check if the ALP did not inflate (see Data Management and Appendix 2 for more info)
9. Test the trigger— from the top of trap only (Figure 10) Record pass/fail
10. Drain CO ₂ from the trap and trigger until the trap is de-gassed and safe to handle. Never fire the trap in quick succession, as the CO ₂ in the canister expands, it gets extremely cold, and this can damage the internal seals.

11. When needed, clean the inside of the trap, trigger, and bracket. Apply caution when choosing cleaning material as strong smelling chemicals, i.e., biodegradable wet wipes, may alter the smell profile of the trap. Consider using sticks or leaves to clean gunk from inside of the trap.
12. Install new CO ₂ . Note: you do not need to trigger the trap again
13. Install new ALP, make sure coin is removed and threads are correct (Figure 6a)
14. Remove excess bait released from mouth of ALP when the penny is removed (Figure 6b). Excess bait can be smeared below the trap or removed from site.
15. Screw lid back on old ALP
16. If removed trap from mounting bracket–resecure the trap
17. If counter present: reset by depressing the button for ~5 seconds, count should read 0
18. Ensure flagging is maintained and trap number is visible (Figure 7)

Data Management

Table 4 shows minimum recommended data fields for tracking A24 use. You may also consider additional data to track trap malfunction and efficacy ([see Appendix 3](#)).

Table 4: Recommended data fields for tracking A24 use

Data Field Name	Definitions
Trap # (serial number)	Unique number to track each trap, may need to label traps yourself
Purchase Date	Date purchased
Deployment Date	Date trap was first deployed in the field
Location (GPS point)	GPS location of the trap
Monitoring and Maintenance	
Counter #	Number shown on the counter
# Carcasses	Number of carcasses around the trap
CO ₂ Status/Trigger test	Pass/Fail
Bait Presence	Bait Present (Y/N)
Bait Used	What kind of bait in the trap?
Did not inflate (DNI)--see Appendix 1	Tracking functionality of bait (ALP) pump
Potential malfunctions	From KFRBP-- see Appendix 3

Recommendations & Tips

- Consider using trap retention cables and/or locks if in high traffic areas.
- Pre-baiting:
 - All traps should be installed and baited for several days at a minimum **before they are set to kill**.
 - It is also advisable to smear bait on the tree below each trap to encourage rats to investigate the trap.
 - The New Zealand Department of Conservation (DOC) recommends pre-baiting to attract rats to the traps, promote familiarity, and allow the rats to communicate information to other rats about their new food source (D. Peters, pers. comm.).
 - In so doing, a rapid reduction, or “knockdown” of the rat population should occur once the traps are set because rats are accustomed to visiting the traps.
 - The traps may need to be serviced more frequently during the initial knockdown period to ensure that the bait is still present and fresh.
- Never use a **petroleum-based** lubricants on any parts of the trap or canister
 - Known instances of regulator unscrewing, for assortment of reasons
 - Lubing the connection between canister and trap may mitigate undiagnosed issues of this kind
 - If checking traps on a long return rate (6+ mo.), or deploying traps in a highly corrosive environment, may consider applying a thin film of dry lube or silicone grease to the tip of the CO₂ canister and threads

Next Steps & Future Research Needs:

- Research and development are needed to improve lures and other methods to attract rodents to traps. For example, scent only lures (ex: Arizonix – VM products).
- Additional mounting methods need to be developed and tested for fences, in areas with no trees, etc.
- How to deal with accumulation of plastic waste as individual traps are retired due to decreased efficacy.

Resources

Goodnature Youtube guide: <https://www.youtube.com/watch?v=AFJPBqntuk>

Automatic Trap Company: <https://www.automatictrap.com/>

Goodnature New Zealand: GoodNature.co.nz

IACUC: <https://research.hawaii.edu/orc/animal-welfare/uh-iacuc/>

New Zealand Department of Conservation: <https://www.doc.govt.nz/>

A24 Success Guide: https://myturn-prod-attachments.s3.amazonaws.com/7/1317/item/-/file_attachment/A24_Success_Guide_REV_15_NZ-6A7ADB88-AB65-E382-430F-0D8267A72FAB.pdf

Acknowledgements

This document was developed in collaboration with natural resource management programs from across the state. The information was drawn from posters shared at the 2018 Predator Control Forum and programmatic SOPs. In 2024, the compiled information was reviewed to 1) identify outdated information, 2) update with new information, and 3) gain insights on clarity during a workshop at the Hawai'i Conservation Conference, and through the Hawai'i Conservation Alliance (HCA) Effective Conservation Program subcommittee, and the HCA Steering Committee. Around eight programs contributed to the development of this RMP.

Matt Keir (DOFAW) developed the RMP template. Joby Rohrer, Jared Char, and Aaron Pila (ANRPO) reviewed the included information and provided photos from their database. The Ecosystems Extension Program facilitated the review, editing, and formatting of the document. Thanks to the Kaua'i Forest Bird Recovery Program (KFRBP) for providing their summary of common trap malfunctions and an example data collection scheme for monitoring trap efficacy.

Appendices

Appendix 1: Trap check Cheat Sheet

Follow link for trap check cheat sheet. This resource was designed to remind field crews of trap parts, trap checking steps, and essential field tools for trap check days. Reach out to EcosystemsExtensionHI @ [gmail.com](mailto:EcosystemsExtensionHI@gmail.com) if you would like to modify this resource to match your trap checking SOPs.

[Appendix 2: ALP traps that Did Not Inflate \(DNI\)](#) (click to view Appendix 2 alone)

Describes an ALP that has not inflated over the course of its lifetime. Since the pump hasn't supplied fresh bait, it can be concluded that the trap is not as attractive as it was manufactured to be. Whether bait is present or not is independent of ALP inflation. While uncommon, an ALP can be both DNI and have no bait inside. The following guide assumes a grid is being checked at a four-month interval. Longer maintenance intervals allow for ALPs to progress further into their inflation timeline, which will change when an individual ALP falls into one of the three categories



Fully Inflated

Circuit is way too strong resulting in an ALP that inflated well before its manufactured timeframe. It is possible to still have bait inside as well but cannot squeeze any more bait out due to swollen appearance.



Partially Inflated

This ensures fresh bait has been continuously oozing out of the ALP at its intended rate so at 60% of its intended lifespan, it should only be 60% inflated. Notice how I cant squeeze it all the way down? That's what we want.



Did Not Inflate (DNI)

Able to be completely crushed, second chamber not inflated or barely inflated at all. Circuit unable to complete or seal broken. It is possible to have no bait and still consider DNI, rarely does this happen but it is possible.

Appendix 3: Common trap malfunctions and monitoring schema

The following trap malfunctions have been identified through extensive data collection by the Kaua'i Forest Bird Recovery Program (KFRBP).

Table 5: Common trap malfunctions and their description

Malfunction	Description
Leaks CO ₂	CO ₂ leaks from faceplate when trap triggered and/or when new CO ₂ put in
Trap not triggering with new CO ₂	When new CO ₂ is attached, traps may trigger once and then fail on subsequent tests. Or trap may not trigger at all with new CO ₂
Striker retraction fail	When testing, striker is slow to retract OR does not retract at all
Power unit issue	When unscrewing CO ₂ , power unit comes out attached to the old CO ₂ canister. Spring may fall out after as well
Missing or broken leaf trigger	Leaf trigger not present upon purchase, or becomes broken/missing in the field
Cracked/broken trap body	Main trap body is cracked and/or broken in places
Trigger seal issue	Over time, CO ₂ slowly/quietly leaks out of power unit. Does not hold pressure. First test fire after 4 months will be a weak strike or not at all. Any immediate test fires after this one will be strong. Leaving trap means CO ₂ slowly leaks out again before rat comes along

The following data fields were used by KFRBP to track the functioning of 1,000s of traps across their multiple grids in the Alaka'i Plateau, Kaua'i. They are shared here to support the implementation of this level of trap function monitoring.

General

Station ID – tap on field and search for station ID in the dropdown

Date and Time – autofill

Checked by – autofill based on user. Double check that this is accurate

Type of Check (multiselect)

Official (triennial) – big rat trip that happens in the spring, summer, and winter. Will be the default selection

Camera – if you are also doing a camera check/install on the trap. Can be selected in conjunction with the other options

Unofficial – rare trips to check/maintain traps

Arrival

Arrival Pictures – A side angle photo of trap that shows the entire trap and distance from ground. Additional photos of any carcasses/bones near trap.

Trap Arrival Status

Open – trap is open and armed, both bait container and CO₂ container are present (though either may be empty)

Closed – Mounting bracket is present, but trap is missing (trap was removed on previous check and not replaced) OR trap is in an inactive position (on the ground, tree fell, etc) OR trap is present, but CO₂/bait pouch are not present.

New (not present) – You are deploying a trap in a NEW location

Not Found – You cannot find the trap location

Arrival Counter Status

Working – counter is present and functional

Low Battery – counter present but with low battery warning

Broken – counter present, but not functional/turning on

Not Present – no counter on trap

NA – other misc. cases. e.g., counter reads over 50+

Arrival Counter Number: if counter is present, record number. If not present, enter '999'

Arrival Trap On Tree

Trap on tree, with blocker – trap is set on tree with blocker attached correctly

Trap on tree, separated from blocker – trap is set on trap, but blocker is separated

Trap on tree with blocker, knocked from backplate but still attached – trap is still attached to trap thanks to zip ties, but is sitting sideways and no longer on the backplate. This is a common case at MOH when pigs hit the trap

Trap on ground, with blocker – trap has fallen from tree, but blocker still attached

Trap on ground, separated from blocker – trap on the ground and blocker is no longer attached

NA – trap is not present

Other – other misc. case

Arrival Bait Type

ALP Chocolate – foil lure. Will have red/orange/brown label ring

ALP Citric – foil lure. Will have white label ring that says slug repellent

ALP Unknown – foil lure. Choose this option if the label ring is not present

Static Chocolate – plastic tub lure

Static Citric – plastic tub slug repellent lure

Static Unknown – plastic tub – choose this option on arrival since the statics are difficult to distinguish

Other – see notes – other misc. baits

Arrival Bait Condition (multiselect)

ALP – Bait Remaining – a good amount of bait is still left in the ALP.

ALP – Bait Plug Only – the ALP has mostly air in it, there is only a small plug of bait left

ALP – Bait Completely Empty – the ALP is completely empty – you can see metal from inside the cap

ALP – Gas Not Full – ALP mostly deflated and not puffed up

ALP – Gas Full – ALP is full of gas

ALP – Coin On – coin still left on ALP

Static – Old – bait left in static lure

Static – Container Empty – completely empty lure container

Other (see notes) – other misc. cases

ALP Bait Serial Number – record the serial number of the ALP on the label tag (if present)

Arrival Test Fire

Pass – strong test fire right away: Good, functional trap.

Fail – trap does not fire at all, is extremely weak, or you only hear CO₂ hiss: Replace trap if this is the case, and you have plenty of replacements for the rest of the trip.

Weak Fire then Pass – first test fire is weak, and the following test fire is a pass. DO NOT replace traps in this case.

No Test – No trap present or didn't test fire.

Captures

Arrival Total Bodies Found – total number of distinct bodies found AND fur in blocker. ID using skull or scapula or distinct separate clumps of fur/bones. This should be a sum of the next 6 fields. NOTE: The next 6 field are mutually exclusive.

Arrival *Rattus spp* – Total unknown rat spp found near trap. Most crews will use this unless they are 100% confident of exact rat species IDs

Arrival *Rattus rattus* – Total *Rattus rattus* bodies found. Not used unless confident

Arrival *Rattus exulans* – Total *Rattus exulans* bodies found. Not used unless confident

Arrival *Mus domesticus* – Total mouse bodies found

Arrival Rodent spp/New Fur in Blocker – Total unknown rodent bodies, including new fur in blocker. Brand new fur that is clearly not from an old trip will go in this field. New fur may be sticking out of the blocker edges, not matted.

Arrival Old Fur in blocker – Enter “1” if there is old/matted fur in the blocker. This will count towards total captures, even though it is likely from a previous trip. If there is fur caked in the blocker and a body under the trap, this would be 2 total bodies found.

Maintenance

Trap Replaced

Installed – New trap installed at either a new station or a station without a trap

Replaced – Replaced old faulty trap with new one depending on test fire result. NOTE:

If replacing a trap, use orange flagging on the old one and write the Station ID, date, and the problem with the trap. E.g. Test fire failed, Leaks CO₂, cracked trap, etc. Also note the issue with the trap in the notes section.

Removed – Removed old trap and didn't have a replacement

No – Old trap left in place

Arrival Trap ID (If Present) – Enter the Trap ID or Serial number and select it in the dropdown list if the trap is present at the station

Departure Trap ID (If Replaced/Installed) – If a new trap was installed/replaced, enter the trap id or serial number and select it in the dropdown list. Conditional based on the "Trap Replaced" field answer.

Maintenance Performed – Y/N. If Yes, then additional fields will appear below

Maintenance Type

Trap Lowered or Raised (See Maintenance Notes) – Trap moved on the same tree.

Make a note in the notes section. Trap blocker MUST be touching the ground or be very close to the ground (1mm) to prevent Puaiohi from entering

Trap Moved to Another Location (See Maintenance Notes) – Moved trap to another location nearby to get it set better. Make a note in the notes section

Adjusted or Replaced Zip Ties – Zips adjusted or fixed

Adjusted Blocker – Fixed blocker to line up with trap

Adjusted/Replaced Screws – replaced or fixed old screws

Other (See Maintenance Notes) – other misc. maintenance

Maintenance Notes – explanatory notes for maintenance tasks

Departure

Departure Status

Open – trap is open and armed with CO₂ and bait

Closed – trap is present, but not armed with CO₂ and bait

Temporarily Removed – trap temporarily removed until we get a replacement

Permanently Removed – trap/station permanently removed

Departure Test Fire

Pass – strong test fire right away. Good, functional trap

Fail – trap does not fire at all or extremely weak, or you only hear CO₂ hiss

No Test – No trap, or didn't test fire

Departure CO₂ Status

New – New CO₂ installed

Old – Old CO₂ left in place

None – No CO₂. Not arming trap—make sure to mark trap as Closed or Removed

Departure Counter Status

Working – counter is present and functional

New – new counter added to trap

Low Battery – counter present but with low battery warning

Broken – counter present, but not functional/turning on

Not Present – no counter on trap

NA – other misc. cases. e.g. : counter reads over 50+

Departure Counter Number: if counter is present, ALWAYS leave on 1. This is the default. If no counter, then enter 999.

Departure Bait Type

ALP Chocolate – foil lure. Will have red/orange label ring

ALP Citric – foil lure. Will have white label ring that says slug repellent

ALP Unknown – foil lure. Choose this option if the label ring is not present

Static Chocolate – plastic tub lure

Static Citric – plastic tub slug repellent lure

Static Unknown – plastic tub – choose this option on arrival since the statics are difficult to distinguish

Other – see notes – other misc. baits

Departure Bait Condition (multiselect)

ALP – Fresh – Brand new ALP lure with coin off

ALP – Bait Remaining – a good amount of bait is still left in the ALP.

ALP – Bait Plug Only – the ALP has mostly air in it, only a small plug of bait left

ALP – Bait Completely Empty – the ALP is completely empty – you can see metal from inside the cap

ALP – Gas Not Full – ALP mostly deflated and not puffed up

ALP – Gas Full – ALP is full of gas

ALP – Coin On – coin still left on ALP

Static – Fresh – brand new static lure

Static – Old – bait left in static lure

Static – Container Empty – completely empty lure container

Other (see notes) – other misc. cases

Repair Needs at Station

No – Station is all set

Failed trap still at station – A trap with a failed or very weak fire is still at station, due to trap shortage, etc.

Needs counter – trap needs counter next trip

Needs blocker – Trap needs blocker next trip

Needs zips – Trap needs new zips next trip

Needs to be moved – needs screwdriver and needs to be moved to better spot

Needs trap – New trap needed at station

Screws stripped – Screws stripped and need replacements

Other – Other misc. needs. Add in notes

Carcass Fate

Removed – Cleared carcass away from trap leaving absolutely no bones behind. This will be done during Official trips.

Left in Place – Didn't move carcass. This will be done on Unofficial trips.

Removed/Fur Still Present – Removed carcass, but fur is difficult to remove from trap/blocker.

NA – No carcass

Departure Photos – Photo of trap at a side angle, to show full trap and set on the tree.


Appendix 4: Grid design

Ecosystem-level grids are most effective at reducing rat numbers across landscapes to ensure protection for rare and common species, compared to smaller trapping efforts. ANRPO has been designing and constructing grids for over ten years. Here are some general guidelines.

1. **Sizing:** The larger the better!
 - a. The greater the area protected, the smaller the edge effect and the larger the area protected within the grid
 - b. Limits to grid size include:
 - i. Budget for traps
 - ii. Manpower for deployment and servicing
 - iii. Terrain
 - iv. Access
2. **Trap spacing:** The New Zealand standard is 100x100 meters. However, in ANRPO's experience, 100x50m is needed. ANRPO strongly suggests that programs begin at a higher trap density, monitor for effectiveness, and then, if possible, decrease trap density while ensuring that monitoring goals are met.

For example, ANRPO's goal is to achieve 10% tracking, as measured by tracking tunnels. Our 100x50m grids mostly met this goal, but 100x100 does not. Thus, we have maintained a standard of 100x50m.

3. **Trail system:** All grids need good trails! ANRPO runs trails 100m apart and places devices at 50m intervals, facilitating 100x50m trap spacing. The way programs design these trails is often dictated by the terrain. ANRPO has done trails on contours, as well as running up and down ridges and gulches. There are pros and cons to both.
 - a. Contour Pros:
 - i. Trails are easier to walk as they are flat across areas.
 - ii. Trails cross all terrain type evenly—gulches, ridges, and slopes
 - b. Up-Down Pros
 - i. Trails are much less prone to downslope erosion than contour trails
 - ii. More tiring way to move across terrain
4. **Grid examples:** Below is a figure of the 'Ēkahanui Grid in Honouliuli Forest Reserve on O'ahu.



This shows a grid system across the steep gulches of 'Ēkahanui. The trails run on contours, spaced 100m apart in elevation, and A24s are deployed with 50m spacing along the trails. For the most part, the trails follow the contour and thus are less exhausting to traverse (compared to climbing up/down trails). However, there is significant upkeep needed, as erosion constantly affects the trails, causing soil and rock to come down. An even larger impact is the constant accumulation of trees, dead and alive, on the trails. In particular, Christmas Berry needs to be constantly cleared.

Appendix 5: [Figures](#)

All figures for this document are labeled and stored in the figures document above.